


SPECIMEN



Lebanon

BIFENTHRIN 0.1%

INSECT CONTROL



For Residential Lawn Use Only

Bifenthrin 0.1% Lawn Granules is a broad spectrum ready to use granular insecticide that when applied properly will control a wide variety of insects feeding above and below the ground; including but not limited to: Ants, Fleas, Ticks, Mole crickets, Chinch bugs & other lawn-damaging insects.

Active Ingredient

Bifenthrin*	0.1%
Other Ingredients	99.9%
Total	100.0%

*Cis isomers 97% minimum, trans isomers 3% maximum.

EPA Reg. No. 53883-121-961 (L) (D)
EPA Est. 961-PA-01; 961-IL-01
Superscript used is first letter of lot number.


KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautionary statements on back of bag.

First Aid	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may call 888-208-1368 for emergency medical treatment information.	
NOTE TO PHYSICIAN: This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.	

DISTRIBUTED BY
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.LebanonTurf.com



Lebanon BIFENTHRIN 0.1% INSECT CONTROL



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

In New York, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of Bifenthrin 0.1% Lawn Granules if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Apply Bifenthrin 0.1% Lawn Granules when damage from insects or insect activity is first observed in the lawn. Damage will be noticed when grass begins to thin and turn brown or when moths fly from the lawn when disturbed. Treat the entire lawn when these symptoms are obvious or noticeable.

Surface Feeding Lawn Insects

Bifenthrin 0.1% Lawn Granules is intended to control ants, including

- Carpenter
- Red Harvester
- Odorous Pyramid
- Pharaoh (Sugar)

Armyworms including

- Fall Armyworms

Billbug Including

- Bluegrass Billbug

Cutworms including

- Black Cutworms

Weevils including

- Hypernodes and Bluegrass

Other insects include

- Chiggers Chinch Bugs, Crickets, Earwigs, Grasshoppers, Mealybugs and Sod Webworms (Lawn Moth)

Application instructions:

Apply **Bifenthrin 0.1% Lawn Granules** evenly at the rate of 1.2 to 2.4 pounds per 1,000 sq. ft. of lawn using any hand held or power operated gravity or rotary type spreader designed for the application of granular materials.

Bifenthrin 0.1% Lawn Granules should be applied when insects first appear. If suitable signs of renewed insect activity become apparent and re-treatment becomes necessary, applications should be limited to no more than one application per a seven day period and at the recommended rate to obtain best results. Best results will be obtained by thoroughly watering the treated area immediately after application.

Argentine Ants, Black Turf Ants, Black Turfgrass Ataenius, Fleas (including Cat Fleas), Leafhoppers, Spiders (including Brown Recluse Spiders) and Ticks (including Brown Dog Ticks)

Evenly apply 2.4 pounds of Befenthrin 0.1% Lawn granules over a 1,000 sq. ft. area of lawn. Irrigate or water thoroughly immediately after application.

When treatment of the following insects becomes necessary:

Centipedes, Millipedes, Pavement Ants, Mole Crickets (including Tawny Mole Crickets)

Uniformly apply 4.8 pounds over a 1,000 sq. ft. area of lawn. Treat Mole Crickets in late spring. Irrigate or water thoroughly immediately after application.

Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

Suggested Spreader Settings			
Spreader	1.2#/1000 Sq. Ft.	2.4#/1000 Sq. Ft.	4.8#/1000 Sq. Ft.
PennMulch®	D	F	L
ProScape®	D	F	L
Earthway® Rotary	11	13	16
Lesco® (letter/Numeric)	C/8	E/11	J/21
Scotts® AccuPro 2000®	E	G	M
Scotts® R8A	H	J	M
Scotts® R7X	C	D	I
Spyker®	2	3 ¹ / ₄	4 ¹ / ₂

These settings are approximate. Check application rate of your spreader before applying. Settings may vary with age and condition of spreader

Storage and Disposal

STORAGE: Store in original bags/containers only. Store in a cool, dry place and avoid excess heat. Carefully open bags/containers. After partial use close tightly. Do not contaminate water, food or feed by storage and disposal.

DISPOSAL: *If empty:* Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency or 1-800-CLEAN-UP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

DISTRIBUTED BY
LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.LebanonTurf.com

