

roots®

dry roots® formula

- dryROOTS® formula is a special blend of nutrients formulated for new plantings, turf, flower beds and gardens.
- dryROOTS® formula contains organic composts, humus extracts, sea kelp extracts, and other plant supplements.
- It is safe to use on newly planted trees, shrubs, gardens, turf and sod.
- dryROOTS® formula helps prevent transplant shock.

FERTILIZER FOR PLANTINGS AND TURF

3 - 3 - 3

GUARANTEED ANALYSIS

Total Nitrogen (N)	3.0%
1.50% Ammoniacal Nitrogen	
1.50% Water Insoluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	3.0%
Soluble Potash (K ₂ O)	3.0%
Calcium (Ca)	4.0%
Magnesium (Mg)	1.5%
Sulfur (S)	1.0%
1.0% Combined Sulfur (S)	
Iron (Fe)	1.0%
1.0% Water Soluble Iron (Fe)	



Derived From: Poultry Compost, Feathermeal, Diammonium Phosphate, Potassium Sulfate, Ammonium Sulfate, Kelp Meal, Dolomitic Lime, Ferrous Sulfate.
*1.5% slowly available Nitrogen from Poultry Compost and Feathermeal.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS:

1.00%	Humic Acids
0.15%	Ascorbic Acid (Vitamin C)
0.05%	Amino Acid (Glycine)
0.02%	Myo-Inositol
0.01%	Thiamine (Vitamin B ₁)

CONTENTS

dryROOTS® formula has a low salt content, so it is non-burning on plantings, turf and landscapes. It is screened for consistency, and is free of unwanted pathogens.

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at: <http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf>
We recommend that you follow the Green Industries BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_Final.pdf

NOTE: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 lb. Nitrogen per 1,000 sq. ft. Settings are approximate for 1,000 sq. ft. coverage. You may need to adjust for proper coverage.

SUGGESTED SPREADER SETTINGS					
Spreader	8#/1,000 sq. ft.		10#/1,000 sq. ft.		Spreader
	(covers up to 3,125 sq. ft. of lawn)	(covers up to 2,500 sq. ft. of lawn)	(covers up to 3,125 sq. ft. of lawn)	(covers up to 2,500 sq. ft. of lawn)	
LebanonTurf	6	6.5	Lesco (letter/Numeric)	L/24	M/26
Andersons AccuPro	M	0	PennMulch HVO	P	Q
Earthway Rotary	20	24	ProScape SS	P	Q
Gandy	32	36	Spyker	6	6.5
Lely	6.5 II	7 II	Vicon (all models)	34	40

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

CAUTION

KEEP OUT OF REACH OF CHILDREN.

Do not contaminate water by storage or disposal. Store in a cool, dry place inaccessible to surface water runoff. Do not apply in or near any water supply source or any body of water, including wells, streams, rivers and lakes, storm drains or drainage ditches. Do not apply to any land that is flooded, frozen or snow-covered. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands in the driveway, sidewalk, or street, back onto your lawn/garden.



For technical assistance or more information about our products visit www.LebanonTurf.com
Manufactured by:

Lebanon Seaboard Corporation
1600 E. Cumberland St. • Lebanon, PA 17042
Made in the U.S.A.

www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

APPLICATIONS: Apply only as directed.

Vegetable	Average soil:	5 lbs./100 sq. ft.
Gardens & Flower beds	Poor soil:	10 lbs./100 sq. ft.
	Mix into top 4" of soil. For new beds, apply prior to transplanting or sowing seeds. For established beds, apply as a top dress at first sign of spring growth.	

Bulbs Add 1 tablespoon to each hole.

Plantings Apply on top of backfill after planting and water in.
Trees, shrubs, containers After that, use 2-3 times each year in spring, summer and fall.

Plant or Tree size	Container or ball size	Rate (2 1/2 cups=1 lb.)
Shrub	1 gal.	1/4 lb.
Shrub	5 gal.	1 lb.
2" diameter	24" ball	3 lbs.
2 1/2" diameter	28" ball	5 lbs.
3" diameter	32" ball	7 lbs.
4" diameter	42" ball	12 lbs.
5" diameter	54" ball	16 lbs.
6" diameter	60" ball	25 lbs.

Potting/seeding mix 25 lbs. / cubic yard or 2 cups / cubic ft.

Sod/new seed Apply 10 lbs./1,000 sq. ft. with a rotary spreader as part of soil prep. (In Florida, apply 8 lbs./1,000 sq. ft. Maximum of 2 applications per year.)

Stressed lawns Top dress at 10 lbs./1,000 sq. ft. every 3 months, or apply once at 25 lbs./1,000 sq. ft. (In Florida, apply 8 lbs./1,000 sq. ft. Maximum of 2 applications per year.)

A lawn will typically utilize 1 to 4 lbs. of nitrogen per 1,000 sq. ft. per growing season. When used as directed, this product will supplement your regular fertilizer program by providing up to 0.75 lbs. of nitrogen per 1,000 sq. ft. (In Florida 0.24 lbs. of Nitrogen per 1,000 sq. ft.). Please consult your local extension office for questions regarding a regular fertilizer program.

WARRANTY IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer. **DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Lebanon Seaboard Corporation MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.


Net Weight / Peso Neto 25 lbs (11.3 kg)
Covers up to 3,125 Sq. Ft. (3,125 pies²)

FERTILIZER FOR PLANTINGS AND TURF

3 - 3 - 3

GUARANTEED ANALYSIS

Total Nitrogen (N)	3.0%
1.50% Ammoniacal Nitrogen	
1.50% Water Insoluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	3.0%
Soluble Potash (K ₂ O)	3.0%
Calcium (Ca)	4.0%
Magnesium (Mg)	1.5%
Sulfur (S).....	1.0%
1.0% Combined Sulfur (S)	
Iron (Fe)	1.0%
1.0% Water Soluble Iron (Fe)	



F699

27-57220

Derived From: Poultry Compost, Feathermeal, Diammonium Phosphate, Potassium Sulfate, Ammonium Sulfate, Kelp Meal, Dolomitic Lime, Ferrous Sulfate.

*1.5% slowly available Nitrogen from Poultry Compost and Feathermeal.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS:

1.00%	Humic Acids
0.15%	Ascorbic Acid (Vitamin C)
0.05%	Amino Acid (Glycine)
0.02%	Myo-Inositol
0.01%	Thiamine (Vitamin B ₁)

CONTENTS

dryROOTS® formula has a low salt content, so it is non-burning on plantings, turf and landscapes. It is screened for consistency, and is free of unwanted pathogens.

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at: <http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/gfbbmp07.pdf>
We recommend that you follow the Green Industries BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_Final.pdf

NOTE: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 lb. Nitrogen per 1,000 sq. ft.

Settings are approximate for 1,000 sq. ft. coverage. You may need to adjust for proper coverage.

SUGGESTED SPREADER SETTINGS					
Spreader	8#/1,000 sq. ft. (covers up to 3,125 sq. ft. of lawn)	10#/1,000 sq. ft. (covers up to 2,500 sq. ft. of lawn)	Spreader	8#/1,000 sq. ft. (covers up to 3,125 sq. ft. of lawn)	10#/1,000 sq. ft. (covers up to 2,500 sq. ft. of lawn)
LebanonTurf	6	6.5	Lesco (letter/Numeric)	L/24	M/26
Andersons AccuPro	M	0	PennMulch HVO	P	Q
Earthway Rotary	20	24	ProScape SS	P	Q
Gandy	32	36	Spyker	6	6.5
Lely	6.5 II	7 II	Vicon (all models)	34	40

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

CAUTION

KEEP OUT OF REACH OF CHILDREN.

Do not contaminate water by storage or disposal. Store in a cool, dry place inaccessible to surface water runoff. Do not apply in or near any water supply source or any body of water, including wells, streams, rivers and lakes, storm drains or drainage ditches. Do not apply to any land that is flooded, frozen or snow-covered. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands in the driveway, sidewalk, or street, back onto your lawn/garden.



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

APPLICATIONS: Apply only as directed.

Vegetable Gardens & Flower beds Average soil: 5 lbs./100 sq. ft.
Poor soil: 10 lbs./100 sq. ft.
Mix into top 4" of soil. For new beds, apply prior to transplanting or sowing seeds.
For established beds, apply as a top dress at first sign of spring growth.

Bulbs Add 1 tablespoon to each hole.

Plantings Apply on top of backfill after planting and water in.
Trees, shrubs, containers After that, use 2-3 times each year in spring, summer and fall.

Plant or Tree size	Container or ball size	Rate (2 1/2 cups=1 lb.)
Shrub	1 gal.	1/4 lb.
Shrub	5 gal.	1 lb.
2" diameter	24" ball	3 lbs.
2 1/2" diameter	28" ball	5 lbs.
3" diameter	32" ball	7 lbs.
4" diameter	42" ball	12 lbs.
5" diameter	54" ball	16 lbs.
6" diameter	60" ball	25 lbs.

Potting/seeding mix 25 lbs. / cubic yard or 2 cups / cubic ft.

Sod/new seed Apply 10 lbs./1,000 sq. ft. with a rotary spreader as part of soil prep.
(In Florida, apply 8 lbs./1,000 sq. ft. Maximum of 2 applications per year.)

Stressed lawns Top dress at 10 lbs./1,000 sq. ft. every 3 months, or apply once at 25 lbs./1,000 sq. ft.
(In Florida, apply 8 lbs./1,000 sq. ft. Maximum of 2 applications per year.)

A lawn will typically utilize 1 to 4 lbs. of nitrogen per 1,000 sq. ft. per growing season. When used as directed, this product will supplement your regular fertilizer program by providing up to 0.75 lbs. of nitrogen per 1,000 sq. ft. (In Florida 0.24 lbs. of Nitrogen per 1,000 sq. ft.). Please consult your local extension office for questions regarding a regular fertilizer program.

WARRANTY
IMPORTANT: READ BEFORE USE


Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer. **DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Lebanon Seaboard Corporation MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation **DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, **THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.**

Net Weight / Peso Neto 25 lbs (11.3 kg)
Covers up to 3,125 Sq. Ft. (3,125 pies²)

FERTILIZANTE PARA PLANTAS Y CÉSPED 3 - 3 - 3

ANÁLISIS GARANTIZADO

Total de Nitrógeno (N)	3.0%
1.50% Nitrógeno Amoniaco	
1.50% Nitrógeno Insoluble en Agua*	
Fosfato (P ₂ O ₅) Disponible	3.0%
Potasa (K ₂ O) Soluble	3.0%
Calcio (Ca)	4.0%
Magnesio (Mg)	1.5%
Azufre (S)	1.0%
1.0% Azufre (S) Combinado	
Hierro (Fe)	1.0%
1.0% Hierro (Fe) Soluble en Agua	



F699

27-57220

Derivados de: El compost de ave, plumas, fosfato diamónico, sulfato de potasio, sulfato de amonio, harina de algas, sulfato de cal dolomítica, ferrosos.

*1.5% lentamente a disposición de nitrógeno de estiércol de aves de corral y de pluma.

TAMBIÉN CONTIENE INGREDIENTES NUTRITIVOS NO VEGETALES:

1.00% Ácidos Húmicos
0.15% Ácido Ascórbico (Vitamina C)
0.05% Aminoácidos
0.02% Mioinositol
0.01% Tiamina (Vitamina B ₁)

Contenido

La fórmula de dryROOTS® posee bajo contenido de sal, por lo que no quema plantas, césped ni jardines. Consistencia probada y libre de patógenos indeseables.

En Internet encontrará información relacionada con los contenidos y niveles de metales de este producto en <http://www.regulatory-info-lebsea.com>

AVISO: Este producto contiene los nutrientes de hierro secundaria. Hierro puede manchar las superficies de concreto y no se debe aplicar en seco o humedecido en agua de concreto y se debe quitar de estas áreas con prontitud por barrer o soplar. No lave con agua.

DE LA FLORIDA: Le recomendamos que siga el campo de golf de BMP en el: <http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf>
Le recomendamos que siga las Green Industries BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_Final.pdf

Los ajustes son aproximadas para la cobertura de 1,000 pies cuadrados. Es posible que necesite ajustar la cobertura adecuada.

AJUSTES PROPUESTOS ESPARCIDOR					
esparcidor	8#/1,000 pies cuadrados (cubra hasta 3,125 pies cuadrados de césped)	10#/1,000 pies cuadrados (cubra hasta 2,500 pies cuadrados de césped)	esparcidor	8#/1,000 pies cuadrados (cubra hasta 3,125 pies cuadrados de césped)	10#/1,000 pies cuadrados (cubra hasta 2,500 pies cuadrados de césped)
LebanonTurf	6	6.5	Lesco (carta / numérica)	L/24	M/26
Andersons AccuPro	M	0	PennMulch HVO	P	Q
Earthway Rotary	20	24	ProScape SS	P	Q
Gandy	32	36	Spyker	6	6.5
Lely	6.5 II	7 II	Vicon (all models)	34	40

Estos ajustes fueron calibrados y comprobados sobre el terreno. Sin embargo, la edad y la condición del esparcidor, la velocidad de la operación y la uniformidad del terreno puede requerir un poco los diferentes ajustes de cobertura deseada.

- dryROOTS fórmula @ es una mezcla especial de nutrientes formulados para las nuevas plantaciones, césped, parterres y jardines.
- dryROOTS @ fórmula contiene abonos orgánicos, extractos de humus, extractos de algas marinas, y otros suplementos de la planta.
- Es seguro de usar en los árboles recién plantados, arbustos, jardines, césped y el césped.
- dryROOTS fórmula @ ayuda a prevenir el estrés del trasplante.

Precaución MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS.

No contamine el agua al almacenar o eliminar. Conservar en un lugar fresco, seco e inaccesible a la superficie de agua de escorrentía. No aplique en o cerca de cualquier fuente de abastecimiento de agua o cualquier cuerpo de agua, incluidos los pozos, arroyos, ríos y lagos, los desagües pluviales o canales de drenaje. No se aplican a todas las tierras que se inundan, congeladas o cubiertas de nieve. No se aplicarán si las fuertes lluvias que se espera. Aplicar este producto sólo para su césped y jardín, y barrer cualquier producto que las tierras en la calzada, acera, o en la calle, de vuelta en su césped y jardín.

APLICACIONES: Úselo sólo como se indica.

Huertas y Canteros de flores Suelo promedio: 5 libras/100 pies cuadrados
Suelo infecundo: 10 libras/100 pies cuadrados
Mezcle con la capa superior del suelo de 4". En canteros nuevos, aplique antes de trasplantar o sembrar las semillas. En los canteros ya formados, aplique como capa superior apenas aparecen los primeros brotes de primavera.

Bulbos Agregue 1 cucharada en cada agujero.

Plantas, árboles, arbustos, contenedores Aplique sobre la parte superior de la tierra de relleno después de plantar y riegue. Luego, use 2 a 3 veces todos los años en primavera, verano y otoño.

Tamaño de la planta o árbol	Contenedor o cepellon	Cantidad (2 1/2 tazas=1 libra.)
Arbusto	1 galón	1/4 libras
Arbusto	5 galones	1 libra
2" de diámetro	cepellón de 24"	3 libras
2 1/2" de diámetro	cepellón de 28"	5 libras
3" de diámetro	cepellón de 32"	7 libras
4" de diámetro	cepellón de 42"	12 libras
5" de diámetro	cepellón de 54"	16 libras
6" de diámetro	cepellón de 60"	25 libras

Macetas / mezcla para semillas 25 libras. / yarda cúbica o 2 taza / pie cúbico

Césped semillas nuevas Aplique 10 libras/1,000 pies cuadrados con esparcidor giratorio como parte de la preparación del suelo. (En la Florida, se aplican 8 lbs. / 1,000 pies cuadrados máximo de dos aplicaciones por año.)

Césped maltrato Aplique en la parte superior del suelo 10 libras/1,000 pies cuadrados cada 3 meses, o aplique una vez 25 libras/1,000 pies cuadrados. (En la Florida, se aplican 8 lbs. / 1,000 pies cuadrados máximo de dos aplicaciones por año.)

Un césped normalmente se utilizan 1 a 4 libras. de nitrógeno por cada 1,000 pies cuadrados por estación de crecimiento. Cuando se utiliza según las instrucciones, este producto va a complementar su programa de fertilización regular, proporcionando hasta 0,75 libras. de nitrógeno por cada 1,000 pies cuadrados. (En la Florida 0,24 libras. De nitrógeno por cada 1,000 pies cuadrados). Por favor, consulte con su oficina local de extensión para cuestiones relativas a un programa de fertilización normal.

**GARANTÍA
IMPORTANTE: LEA ANTES DE USAR**

Lea completamente las instrucciones de uso, las condiciones, las exenciones de la garantía y las limitaciones de responsabilidad antes de usar este producto. Si no acepta los términos, devuelva inmediatamente el producto sin abrir. Al usar este producto, el usuario o comprador acepta las siguientes condiciones, exenciones de la garantía y limitaciones de responsabilidad.

CONDICIONES: Las instrucciones de uso de este producto se consideran correctas y deben seguirse con mucho cuidado. Sin embargo, es imposible eliminar todos los riesgos relacionados con el uso de este producto. Se pueden producir daños a los cultivos, pérdida de eficacia o resultados no deseados debido a causas tales como las condiciones climáticas, presencia de otros materiales o la forma de uso o aplicación, las cuales escapan del control de Lebanon Seaboard Corporation. El usuario o comprador debe asumir todos estos riesgos.

EXENCIÓN DE GARANTÍAS: En la medida en que lo permita la ley vigente, LEBANON SEABOARD CORPORATION NO OFRECE GARANTÍAS ADICIONALES, NI EXPRESAS NI IMPLÍCITAS, DE COMERCIABILIDAD O IDONEIDAD PARA UN FIN EN PARTICULAR O DE OTRO TIPO, QUE SE EXTIENDAN MÁS ALLÁ DE LO DECLARADO EN ESTA ETIQUETA. Ningún representante de Lebanon Seaboard Corporation está autorizado a brindar garantías adicionales a las descritas anteriormente ni a modificarlas.

En la medida en que lo permita la ley vigente, Lebanon Seaboard Corporation NO SE HACE RESPONSABLE POR DAÑOS ACCIDENTALES, RESULTANTES O ESPECIALES QUE SEAN CONSECUENCIA DEL USO O MANIPULACIÓN DE ESTE PRODUCTO.

LIMITACIONES DE LA RESPONSABILIDAD: En la medida en que lo permita la ley vigente, LA SOLUCIÓN EXCLUSIVA DEL USUARIO O EL COMPRADOR POR CUALQUIERA Y TODAS LAS PÉRDIDAS, LESIONES O DAÑOS RESULTANTES DEL USO O LA MANIPULACIÓN DE ESTE PRODUCTO, YA SEAN BASADAS EN INCUMPLIMIENTOS DE LA GARANTÍA, EL CONTRATO, NEGLIGENCIA, RESPONSABILIDAD EXTRA CONTRACTUAL, RESPONSABILIDAD ESTRICTA U OTROS, NO SERÁ SUPERIOR AL PRECIO DE COMPRA O, A ELECCIÓN DE LEBANON SEABOARD CORPORATION, EL REEMPLAZO DEL PRODUCTO.



Para obtener asistencia técnica o más información sobre nuestros productos visite www.LebanonTurf.com

Fabricado por:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com