

**Ready To Use  
Area Mosquito Preventative**



TRUSTED SINCE 1926  
**BONIDE®**

# Mosquito Beater®



Easy to Apply Granules  
Right from the Container

**Also Aids in the Reduction of Other Insects Such As  
Blackflies and Houseflies (outdoors)**

Enjoy yourself without mosquitoes around Patios, Barbeque and Swimming Pool Areas, Lawns, Clambakes, Picnic and Camp Sites, Tennis Courts, Outdoor Movies, Golf Courses, Concerts and Other Meeting Areas.

<b>ACTIVE INGREDIENTS</b>	
Naphthalene .....	4.50%
Butoxypolypropylene glycol .....	0.50%
<b>OTHER INGREDIENTS</b> .....	95.00%
<b>TOTAL</b> .....	100.00%
Contains Petroleum Distillate	
EPA Est. No. 4-NY-1	EPA Reg. No. 4-123

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back panel for Additional Precautionary Statements and Directions

**Treats 4000 Square Feet**

Scent drives mosquitoes from treated area in about one hour. May be effective upwards to 24 hours.

Note: This product does not conform to EPA Standards for performance of area control or repellency of mosquitoes.

**BONIDE MOSQUITO BEATER**

EPA Est. No. 4-NY-1 EPA Reg. No. 4-123

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


**User Restrictions:** Mosquito Beater® repels mosquitoes and blackflies from small, non-crop areas, such as picnic tables, patios, and tents. Not for use on vegetable gardens.

**General Information:** Mosquito Beater® is quick and easy to apply. It is ready to use: no mixing, no water. Simply broadcast granules on the ground or apply with a lawn spreader, dust gun or hand crank duster.

**Selection of Treatment Areas and Times:** As the action of Mosquito Beater® depends upon release of active ingredients in the vapor phase, air movements affect results considerably. Best results in small areas are obtained in quiet or relatively still air, such as occurs during early evening periods. Application should be made about an hour before the area is occupied. During periods of light to medium air currents allow a longer period prior to occupancy or treat an area large enough to overcome localized effect of breezes. See diagram for suggested application techniques.

**Application Directions:** Apply by shaking directly from the container at the rate of 1/2 cup per 10 foot by 10 foot area. Do not touch product without gloves. Always treat an area considerably larger than that to be occupied. If treatment area is greater than 4000 sq. ft., buy additional product. One container covers 4000 sq. ft. Apply at a higher rate in heavy growth

DURING PERIODS OF STILL AIR TREAT SHADED AREA DURING PERIODS OF LIGHT TO MEDIUM AIR MOVEMENT TREAT SHADED AREA



**Effectiveness of Treatment:** Starting one hour after application, one treatment may be effective up to 24 hours. Rainfall, temperature, and wind may affect effectiveness. Note: This product does not conform to EPA standards for performance of area control or repellency of mosquitoes.

**Retreatment Directions:** Repeat application when area becomes reinfested.

**PRECAUTIONARY STATEMENTS:**

**Hazards to Human and Domestic Animals**

**CAUTION:** May be harmful if inhaled or swallowed. Avoid breathing vapors or dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
Have label with you when obtaining treatment advice.	
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>• Call a poison control center, or doctor, or 1-800-858-7378 immediately for treatment advice.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.</li> </ul>

**Environmental Hazards** This product is toxic to fish. Do not apply directly to water.  
**Physical and Chemical Hazards** Flammable. Do not use or store near heat or open flame.

**STORAGE AND DISPOSAL**

**Storage:** Store only in original container, in a dry place inaccessible to children and pets. **Disposal:** Do not reuse empty container. Rinse thoroughly. Securely wrap in newspaper and discard in trash.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

**Buyer's Guarantee Limited to Label Claims.**


**BONIDE PRODUCTS, INC.**  
**6301 SUTLIFF ROAD ORISKANY, NY 13424**



Bar-B-Que's



Camping



Picnics



Yard Parties




Gardening



Beach Parties



Painting



Fishing