

SPECIMEN LABEL

Pro-mate® Talstar® LG 0.069% with Fertilizer

For use by individuals/firms licensed or restricted by the state to apply insecticide products. For use to control ants (including imported fire ants), mole crickets and other listed pests on lawns in landscaped areas around residential, institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields.

Active Ingredient: By Wt.

Bifenthrin*	0.069%
Other Ingredients	99.931%
TOTAL	100.0%

*Cis isomers 97% minimum, trans isomers 3% maximum.

U.S. Patent No. 4,238,505

Do not apply more than 580 pounds of Pro-mate® Talstar® LG 0.069 % with Fertilizer per acre per year.

Not for use on golf courses, sod farms, nurseries, commercial greenhouses or grass grown for seed. See other panels for additional precautionary information.

0-0-7 GUARANTEED ANALYSIS

Soluble Potash (K ₂ O)	7.00%
Chlorine (Cl), maximum	6.00%

DERIVED FROM: Muriate of Potash.

F224

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 279-3216-5905

EPA Est. 5905-NC-018

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

FIRST AID

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

Note to Physician:

This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

For Emergency Assistance Call: (800) 424-9300.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial seed production or for research purposes.

In New York, this product may not be applied to any grass or turf area within 100 feet of a water body (lake, pond, river, stream, wetland or drainage ditch). In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Disclaimer: Always refer to the label on the product before using Helena or any other product.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash-waters or rinsate.

STORAGE AND DISPOSAL

Prohibitions:

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat.

Carefully open containers. After partial use close tightly. In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

Call: (800) 424-9300.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Paper and plastic bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning.

If burned, stay out of smoke.

SPECIMEN LABEL

LAWN AND PERIMETER APPLICATIONS

Perimeter Application: Apply to lawn area 6 to 10 feet wide around and adjacent to the structure using an application rate of 3.33 to 6.66 pounds per 1,000 square feet.

Lawn Application: Broadcast Pro-mate® Talstar® LG 0.069 % with Fertilizer with suitable application equipment to ensure uniform coverage over the treatment area.

Apply 3.33 to 6.66

pounds per 1,000 square feet to control the following pests.

Annual Bluegrass Weevils (Hyperodes) (Adult)	Ants ²
Armyworms	Billbugs (Adult)
Black Turfgrass Ataenius (Adult)	Centipedes ²
Chinch Bugs ²	Cutworms
Fleas ²	Imported Fire Ants ^{1, 2}
Leafhoppers	Mealybugs
Millipedes ²	Mole Crickets ²
Sod Webworms	Ticks ²

¹ **Imported Fire Ants:** Control will be optimized by combining broadcast applications that will control foraging workers and newly mated fly-in queens with mound treatments that will eliminate existing colonies.

² The higher application rate may be required to control Ants, Centipedes, Chinch Bugs, Fleas, Imported Fire Ants, Millipedes, Mole Crickets & Ticks.

In New York State, this product may NOT be applied to any grass or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of Pro-mate® Talstar® LG 0.069% with Fertilizer if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale - Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Chemical Company's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

© Copyright Helena Chemical Company, 2002.

Talstar® is a registered trademark of FMC Corporation.

Pro-mate® is registered trademark of Helena Chemical Company.

MANUFACTURED BY:
HELENA CHEMICAL COMPANY
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE, TN 38017

Disclaimer: Always refer to the label on the product before using Helena or any other product.

SPECIMEN LABEL

Pro-mate® Talstar® LG 0.069% with Fertilizer

For use by individuals/firms licensed or restricted by the state to apply insecticide products. For use to control ants (including imported fire ants), mole crickets and other listed pests on lawns in landscaped areas around residential, institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields.

Active Ingredient: By Wt.

Bifenthrin*.....	0.069%
Other Ingredients	99.931%
TOTAL	100.0%

*Cis isomers 97% minimum, trans isomers 3% maximum.

U.S. Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN
CAUTION

EPA Reg. No. 279-3216-5905

EPA Est. 5905-NC-018

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

FIRST AID

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

Note to Physician:

This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

For Emergency Assistance Call: (800) 424-9300.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial seed production or for research purposes.

Do not apply more than 580 pounds of Pro-mate® Talstar® LG 0.069 % with Fertilizer per acre per year.

Not for use on golf courses, sod farms, nurseries, commercial greenhouses or grass grown for seed. See other panels for additional precautionary information.

Disclaimer: Always refer to the label on the product before using Helena or any other product.

18-5-9

GUARANTEED ANALYSIS

Total Nitrogen (N)	18.00%
1.96% Ammoniacal Nitrogen	
16.04% Urea Nitrogen*	
Available Phosphate (P ₂ O ₅)	5.00%
Soluble Potash (K ₂ O)	9.00%
Chlorine (Cl), maximum	8.00%

DERIVED FROM Polymer Coated Sulfur Coated Urea, Diammonium Phosphate, Urea, and Muriate of Potash

***5.7% slowly available Urea Nitrogen derived from Polymer Coated Sulfur Coated Urea**

F224

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash-waters or rinsate.

STORAGE AND DISPOSAL

Prohibitions:

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat.

Carefully open containers. After partial use close tightly. In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

Call: (800) 424-9300.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

SPECIMEN LABEL

Container Disposal

Paper and plastic bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning.

If burned, stay out of smoke.

LAWN AND PERIMETER APPLICATIONS

Perimeter Application: Apply to lawn area 6 to 10 feet wide around and adjacent to the structure using an application rate of 3.33 to 6.66 pounds per 1,000 square feet.

Lawn Application: Broadcast Pro-mate® Talstar® LG 0.069 % with Fertilizer with suitable application equipment to ensure uniform coverage over the treatment area.

Apply 3.33 to 6.66

pounds per 1,000 square feet to control the following pests.

Annual Bluegrass Weevils (Hyperodes) (Adult)	Ants ²
Armyworms	Billbugs (Adult)
Black Turfgrass Ataenius (Adult)	Centipedes ²
Chinch Bugs ²	Cutworms
Fleas ²	Imported Fire Ants ^{1, 2}
Leafhoppers	Mealybugs
Millipedes ²	Mole Crickets ²
Sod Webworms	Ticks ²

¹ **Imported Fire Ants:** Control will be optimized by combining broadcast applications that will control foraging workers and newly mated fly-in queens with mound treatments that will eliminate existing colonies.

² The higher application rate may be required to control Ants, Centipedes, Chinch Bugs, Fleas, Imported Fire Ants, Millipedes, Mole Crickets & Ticks.

In New York State, this product may NOT be applied to any grass or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of Pro-mate® Talstar® LG 0.069% with Fertilizer if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale - Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Chemical Company's election, one of the following:

3. Refund of the purchase price paid by buyer or user for product bought, or
4. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

© Copyright Helena Chemical Company, 2002.

Talstar® is a registered trademark of FMC Corporation.

Pro-mate® is registered trademark of Helena Chemical Company.

MANUFACTURED BY:
HELENA CHEMICAL COMPANY
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE, TN 38017

Disclaimer: Always refer to the label on the product before using Helena or any other product.