

Bonide Rose & Flower Spray or Dust is a combination of ingredients useful in controlling certain insect pests and plant diseases. Spray is easily applied by tank, trombone, hand or hose end sprayers.

**DIRECTIONS**—Select still periods for application (early morning or evening) to reduce waste by blow away and blow back on applicator. Make thin paste first with powder then dilute with balance of water to make quantity desired. During application, agitate sprayer to keep powder in suspension. Spray trees or plants lightly but thoroughly cover all parts of plant or tree, particularly undersides of leaves. Do not apply if rain is expected shortly after application. It is easier to prevent disease and scale damage than to cure same. Therefore, a preventive spray schedule is recommended.

**Application Rate:** Use 1 to 2 pts. spray suspension on 5 to 8 ft. trees. Use 1 to 2 qts. spray suspension on 8 to 14 ft. trees. On large trees use 1 to 3 gals. spray suspension.

**ROSES, EVERGREENS, ORNAMENTALS AND FLOWERS:** Use 5 level tablespoons per gallon of water. Begin applications when pests or disease symptoms first appear or conditions favor their development and repeat at weekly intervals or as necessary to maintain control. **Pests:** Aphids, Bagworm, Bud moth, Flea beetles, Gypsy moth, Japanese Beetle, Leaf hoppers, Mealybugs, Mites (Clover, European-red, Two-spotted and Willimette), Psylla, Red banded leaf roller, Scale (Forbes, Putman, San Jose), Spittle bug, Tent caterpillars, Unspotted tentiform leaf miner, Yellow neck caterpillar. **Diseases:** Black spot, Blossom blight, Downy mildew, Leaf spot.

**Precautions & Restrictions:** To protect pollinating insects, do not spray during blossoming period. May cause damage to crassula or ferns.

**AS A DUST FOR ROSES, EVERGREENS, ORNAMENTALS & FLOWERS:** For control of insects such as aphids, bagworms, Japanese beetles, mites which may attack roses, evergreens, ornamentals and flowers, apply this product on a calm day with a suitable dust applicator to cover all portions of the plant with a fine dust film on stems, leaves and buds. To protect bees, do not apply to blooms. May cause damage to Crassula or ferns. Do not apply to Cannartii Junipers. Do not apply as a dust to any food crops. Do not breathe dust.



# Rose<sup>TM</sup> Rx Insect & Disease Control

*R · e · a · d · y t · o U · s · e*



## Controls both diseases and insects

EPA Est. No. 4-NY-1	EPA Reg. No. 4-59
<b>ACTIVE INGREDIENTS:</b>	
Captan . . . . . (CAS. No. 133-06-2) . . . . .	5.87%
Related derivatives . . . . .	0.13%
Malathion . . . . . (CAS. No. 121-75-5) . . . . .	3.00%
Carbaryl . . . . . (CAS. No. 63-25-2) . . . . .	0.50%
<b>OTHER INGREDIENTS . . . . .</b>	<b>90.50%</b>
<b>TOTAL . . . . .</b>	<b>100.00%</b>

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

See back panel for additional precautionary statements.

**BONIDE ROSE RX  
EPA Reg. No. 4-59**

**PRECAUTIONARY STATEMENTS—  
HAZARDS TO HUMANS AND DOMESTIC  
ANIMALS—DANGER**

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing.

**USER SAFETY REQUIREMENTS**

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when mixing and applying this product.
- Wear a hat and eye protection when making overhead applications.
- Remove clothing immediately if pesticide soaks clothing. Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until sprays have dried.

**FIRST AID**

**If in eyes:** Flush with plenty of water. Call a physician. **If on skin:** Wash with plenty of soap and water. Get medical attention if irritation persists. **If swallowed:** Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. **If inhaled:** Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**ENVIRONMENTAL HAZARDS**—This pesticide is toxic to fish, aquatic invertebrates and aquatic life stages of amphibians. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not clean equipment or dispose of equipment washwaters in a manner that will contaminate water resources. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Storage:** Store in a cool dry area inaccessible to children and pets.

**Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

- Apply when air is calm to avoid drift and contact with eyes and skin.
- Start spraying at the farthest corner of the treatment area and work backward to avoid contact with wet surfaces. Allow spray to dry in treated areas before reentering.
- For trees taller than 10 feet, consider hiring a licensed professional.
- Spray thoroughly to wet upper and lower leaf surfaces, stems and branches.
- Do not repeat applications more than once a week.

**Buyer's Guarantee Limited to Label Claims**

Manufactured by  
BONIDE PRODUCTS, INC.  
ORISKANY, NY 13424