



# Banol®

## TURF AND ORNAMENTAL FUNGICIDE

For Control of *Pythium* and *Phytophthora*

NOT FOR SALE OR USE IN CALIFORNIA

NOT FOR USE ON SOD FARMS IN ARIZONA

### ACTIVE INGREDIENT:

Propamocarb hydrochloride*	66.5%
INERT INGREDIENTS	33.5%
TOTAL	100.0%

\*Propyl [3-(dimethylamino) propyl] carbamate monohydrochloride

Contains 6.0 lbs. active ingredient per gallon

EPA Reg. No. 45639-88

KEEP OUT OF REACH OF CHILDREN

## CAUTION — PRECAUTION

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Obtain medical attention immediately. See "Note to Physician."

**IF INHALED:** Remove to fresh air, support respiration, and seek medical advice.

**IF IN EYES:** Immediately flush with plenty of water. Get medical attention if irritation persists.

**IF ON SKIN:** Wash with soap and water.

**NOTE TO PHYSICIAN:** Do not administer atropine unless cholinesterase inhibition is measured or patient shows distinct symptoms thereof. Oxime therapy is contraindicated. Otherwise, administration of gastric lavage or induction of vomiting followed by application of activated charcoal is the recommended treatment.

IN CASE OF **MEDICAL EMERGENCIES OR HEALTH AND SAFETY INQUIRIES, OR IN CASE OF FIRE, LEAKING, OR DAMAGED CONTAINERS, INFORMATION MAY BE OBTAINED BY CALLING 600-228-5635, EXT. 202.**

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

#### PERSONAL PROTECTIVE EQUIPMENT

**applicators and Other handlers must wear:**

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water, Keep and wash PPE separately from other laundry.

#### ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, closed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements maybe reduced or modified as specified in the WPS.

#### USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

#### ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

#### USE PRECAUTIONS

**Do** not graze or feed clippings from treated areas to livestock.

**Do not** apply this product through any type of irrigation system.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in original container and keep tightly closed. Store in a cool dry place.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**DO NOT REUSE ORIGINAL CONTAINER.**

#### GENERAL INFORMATION

BANOL® is a completely water miscible fungicide concentrate. BANOL is intended for use on turfgrass which is subject to *Pythium* Blight (Cottony Blight, Grease Spot). It may be used after germination to control *Pythium* damping-off in turf, or on established turf to prevent or control *Pythium* Blight. BANOL does not afford broad spectrum disease control for *Rhizoctonia* sp. (brown patch), *Sclerotinia* sp. (dollarspot), or *Helminthosporium* sp. (leafspot). Use a broad spectrum fungicide if these diseases coexist with *Pythium* Blight.

BANOL is also recommended for prevention of root rot and damping-off caused by *Pythium* sp. and *Phytophthora* sp. at all stages of ornamental propagation.

**COMPATIBILITY:** BANOL is compatible with benomyl, iprodione, ethazol, chloroneb, PROXOL® 80SP (trichlorfon), triadimefop, chlorothalonil, diazinon, chlorpyrifos, and thiram.

For control of other soil borne diseases such as *Rhizoctonia* sp. or *Fusarium* sp. BANOL can be tank-mixed with benomyl or thiophanate-methyl. Use the full rate of each fungicide and follow all directions and restrictions appearing on the labels of these products.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency in your State responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

**Do not enter or allow worker entry** into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has **been treated**, such as plants, soil, or water, is:

- Coveralls
- Waterproof **gloves**
- Shoes plus socks

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

**Do not enter** treated areas until spray deposit has been dried completely.

TURFGRASS	AREA	FLUID OUNCES BANOL	REMARKS
Control of Pythium Blight and Pythium Damping-Off on Established Turf and Overseeded Areas	1000 ft <sup>2</sup>	Preventative Treatment: 1 1/3-2 fluid oz. M 2-5 gallons of water.  Curative Treatment: 3-4 fluid oz. in 2-5 gallons of water.	ESTABLISHED TURF: Apply as a preventive treatment during periods of high temperature and humidity favorable to the development of Pythium Blight.  OVERSEEDED AREAS: Apply after germination to control Pythium Damping-Off.  RETREATMENT: Retreat at 7-21 day intervals if conditions remain favorable for disease development. Use the lower rate for the shorter interval and the higher rate for the longer interval within the application rate range. Under severe disease pressure conditions, use the highest recommended rate and shortest interval.

BANOL is recommended for prevention of root rot and damping-off caused by *Pythium* sp. and *Phytophthora* sp. at all stages of ornamental propagation.

ORNAMENTALS	FLUID OUNCES BANOL	REMARKS
Control of Pythium and Phytophthora on Ornamental Plants: African Violet Ageratum, Alyssum, Aster, Azalea, Browallia, Carnation, Celosia, Chrysanthemum, Coleus, Dahlia, Dusty Miller, Easter Lily, Ferns, Geranium, Gloxinia, Impatiens, Lobelia, Marigold, Pansy, Petunia, Poinsettia, Portulaca, Salvia Snapdragon, Verbena, Violet, and Vinca.	3 fl oz per 10 gallons of water  3 fl oz per 10 gallons of water  2 fl oz per 10 gallons of water  2 fl oz per 10 gallons of water	BANOL requires no agitation after initial mixing. Stock solutions of BANOL should be used within one week of mixing. BANOL does not cause phytotoxic symptoms on the listed plants when used as directed. Trials on other ornamental species should be conducted before extensive use.  Seeding Apply to the seeding area using 3 quarts of solution/10 square feet. Treat before sowing of seeds requiring light and after covering of seeds requiring dark for germination.  Transplanting (Seedlings): Apply to the transplanting area using 3 quarts of solution/10 square feet before transplanting.  Transplanting (Cuttings): Drench the cutting bed using 2 gallons of solution/10 square feet before setting.  Potting Dip bare root plants in the solution before potting. After potting drench each pot at the rate of 3.5 fl oz of solution/4 inch pot. Repeat the drench treatment at 3 to 6 week intervals.
Woody Ornamentals	25 fl oz per 10 gallons of water	For control of <i>Phytophthora</i> sp. on woody ornamental such as azalea, drench each container at the rate of 5 quarts of solution/10 square feet of surface. Repeat the drench treatment at 3 to 4 month intervals.

**IMPORTANT: READ BEFORE USE**

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond AgrEvo USA Company's control, it is impossible for AgrEvo USA Company to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL.** No agent of AgrEvo USA Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. AgrEvo USA Company disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liability arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability or otherwise.

**LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AGREVO USA COMPANY'S ELECTION, THE REPLACEMENT OF PRODUCT.**

©AgrEvo USA Company, 1994

BL-SL-(931 004) - Rep. 10/94

This is a specimen label. AgrEvo USA Company is not responsible for the accuracy of the information contained herein. As labels are subject to revision, always carefully read and follow the label on the product container.

ISSUE DATE: 09/15/95

SUPERCEDES: 11/08/94

## ▶ SECTION 1-CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

### AGREVO USA COMPANY

LITTLE FALLS CENTRE ONE  
2711 CENTERVILLE ROAD  
WILMINGTON, DE 19808

### EMERGENCY TELEPHONE NUMBER

In Case of Medical Emergencies or Health and Safety Inquiries, or in Case of Fire, Leaking, or Damaged Containers, Information May Be Obtained by Calling: 1-800-228-5635, EXT. 202 (24 Hours)

General Product Information Inquiries: (302) 892-3000 (Days)

PRODUCT NAME: **BANOL®**

PRODUCT CODE: SN 67752, CP 604

CHEMICAL NAME: Propyl-3{3-(dimethylamino)propyl}-carbamate monohydrochloride

CHEMICAL FORMULA: Mixture (active ingredient: C<sub>9</sub>H<sub>21</sub>N<sub>2</sub>O<sub>2</sub>Cl)

EPA REGISTRATION NO.: 45639-88

MSDS IDENTIFICATION CODE/NUMBER: 000047

SYNONYMS: CP 604 (Banol)

### END-USE PRODUCT DESCRIPTION

Fungicide for use on turf and ornamental.

## ▶ SECTION 2-COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT 1: Propamocarb hydrochloride

PERCENT: 66.50/o

CAS NUMBER 25606-41-1

OSHA-PEL OR ACGIH-TLV LIMITS: Not established

INGREDIENT 2: Inert Ingredients

PERCENT: 33.50/o

CAS NUMBER Trade Secret

OSHA OR ACGIH LIMITS: Not established

INERT INGREDIENTS (33.5%): None of the inert ingredients are regulated hazardous chemicals (OSHA, ACGIH, or EPA) and therefore are not listed above.

## ▶ SECTION 3-HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW: CAUTION. MAYBE HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. A MODERATE SKIN IRRITANT AND A SLIGHT EYE IRRITANT PRODUCT IS STRAW-COLORED LIQUID WITH A FAINT AROMATIC ODOR.**

### POTENTIAL HEALTH EFFECTS

PRIMARY ROUTE(S) OF ENTRY: Skin contact, mist inhalation.

EYES: May cause slight eye irritation.

SKIN: May be harmful if absorbed through the skin. A slight to moderate skin irritant. Not likely to cause skin sensitization.

INGESTION: May be harmful if swallowed, Effects are probably slight and non-specific if minute amount was accidentally ingested.

INHALATION: May be harmful if inhaled. Effects are probably slight and non-specific for inhalation incidental to routine handling and use.

CHRONIC TOXICITY AND CARCINOGENICITY INFORMATION: None of the product ingredients are listed as carcinogenic by NTP, IARC, or OSHA.

## SIGNS AND SYMPTOMS

EFFECTS OF OVEREXPOSURE: Ingestion of high doses of propamocarb hydrochloride may cause lethargy, convulsions and collapse.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None specific

NOTE: Please refer to Section 11 for detailed toxicological information.

## ▶ SECTION 4-FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water, Get medical attention if irritation persists.

SKIN: Wash with soap and water.

INGESTION: Seek medical attention immediately. See "Note to Physician" below.

INHALATION: Remove person to fresh air. Support respiration if necessary. Seek medical advice.

NOTE TO PHYSICIAN: Supportive care. Treatment based on judgement of the physician.

## ▶ SECTION 5-FIRE FIGHTING MEASURES

### FLAMMABLE PROPERTIES

FLASH POINT: Does not flash

FIRE AND EXPLOSION HAZARDS: When exposed to extremely high temperatures, such as in a warehouse fire, propamocarb hydrochloride may decompose and give off toxic fumes which include nitrogen oxides.

EXTINGUISHING MEDIA: Foam, carbon dioxide, dry powder, sand, earth, or water spray.

FIRE FIGHTING INSTRUCTIONS: Wear positive pressure self-contained breathing apparatus.

## ▶ SECTION 6-ACCIDENTAL RELEASE MEASURES

GENERAL AND DISPOSAL: Use proper protective equipment to minimize exposure (see Section 8). Take all necessary action to prevent and to remedy the adverse effect of the spill. Ensure the disposal is in compliance with federal requirements or local disposal regulations.

LAND SPILL OR LEAK Carefully sweep up while avoiding the formation of a dust cloud. Place in suitable container and seal for disposal. Area can be washed with water to remove last traces of material, but keep out of watercourses or sewers. Inform authorities immediately if contamination occurs.

## ▶ SECTION 7-HANDLING AND STORAGE

### HANDLING PRECAUTIONS

CAUTION. May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

Users Should:

- . Wash before eating, drinking, chewing gum, using tobacco, or using the toilet.
- . Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water.
- . Keep and wash PPE separately from other laundry.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Only protected handlers may be in the area during application.
- . For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.
- Do not apply this product through any type of irrigation system.

**STORAGE PRECAUTIONS:** Store in the original container and keep closed. Store in a cool, dry place. Do not contaminate water, food or feed by storage or handling.

### ► SECTION 8-EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Maintain good ventilation in handling area to minimize exposure. Local exhaust ventilation may be necessary if used in a confined area.

**FOR APPLICATORS AND HANDLERS (AGRICULTURAL USES):** The personal protective equipment (PPE) for agricultural uses are specified under the Subtitle: "Note to Applicators and Handlers of Agricultural Products."

**FOR MANUFACTURING AND PACKAGING EMPLOYEES:** The personal protective equipment (PPE) in accordance with OSHA standards are recommended immediately below.

**EYE/FACE PROTECTION:** Safety glasses; chemical goggles.

**SKIN PROTECTION:** Rubber (synthetic or natural) gloves.

**RESPIRATORY PROTECTION:** Ensure good ventilation. If not adequate, use a suitable respirator for added protection.

**OTHER/GENERAL PROTECTION:** None specific; good general practice consistent with pesticide handling.

**NOTE TO APPLICATORS AND HANDLERS OF AGRICULTURAL PRODUCTS:** For agricultural products which are within the scope of the EPA Worker Protection Standards (WPS) issued during 1993, all users must refer to the state below or the Product Label for WPS-specified Personal Protective Equipment (PPE), Restricted Entry Interval (REI), and other Precautionary Statements.

#### PERSONAL PROTECTIVE EQUIPMENT FOR APPLICATORS AND HANDLERS:

Applicators and other handlers must wear:

- Long-sleeved shirts and long pants
- Waterproof gloves
- Shoes plus socks

**PERSONAL PROTECTIVE EQUIPMENT REQUIRED FOR EARLY ENTRY INTO TREATED AREAS:** For entry into treated area during the restricted entry interval (REI) of 12 hours that involves contact with anything that has been treated such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements listed under the heading NON-AGRICULTURAL USE REQUIREMENTS apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter areas until spray deposit has completely dried,

### ► SECTION 9-PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Straw-colored liquid.

**ODOR:** Faint; aromatic

#### BASIC PHYSICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**BOILING POINT:** 100°C

**VAPOR PRESSURE:**  $6 \times 10^{-6}$  Torr (\*)

**SPECIFIC GRAVITY:** 1.085 (water = 1)

**SOLUBILITY (H<sub>2</sub>O):** 500 g/l (50.0%)

**pH:** Not available

\*VAPOR PRESSURE: The data above ( $6 \times 10^{-6}$  Torr) was at 25 °C (77°F) for the Propamocarb technical.

**DENSITY:** 1.085 g/ml

**OCTONAL/WATER PARTITION COEFFICIENT:** Not available

### ► SECTION 10-STABILITY AND REACTIVITY

**STABILITY:** Stable

**HAZARDOUS DECOMPOSITION PRODUCTS:** When heated to the point of decomposition, propamocarb hydrochloride may give off toxic fumes of oxides of carbon and nitrogens,  
**HAZARDOUS POLYMERIZATION:** Will not occur

### ► SECTION 11-TOXICOLOGICAL INFORMATION

**EYE EFFECTS:** May cause slight irritation to eyes.

#### SKIN EFFECTS

**DERMAL LD50 (rat, rabbit):** >3,920 mg/kg (low toxicity). A slight to moderate skin irritant.

#### ACUTE ORAL EFFECTS

**ORAL LD50 (rat):** 2,000-8,500 mg/kg (low toxicity)

#### ACUTE INHALATION EFFECTS

**INHALATION LC50 (rat-4 hrs.):** Greater than 6.2 mg/liter (low toxicity), the highest attainable aerosol concentration in the air. No toxicity or mortality was observed in rats exposed to this maximum dose.

**SUBCHRONIC (TARGET ORGAN EFFECTS):** Results from 90-day animal studies suggest no target organ effects under the conditions of normal handling and use.

**CHRONIC TOXICITY AND CARCINOGENICITY INFORMATION:** In two-year feeding studies with propamocarb hydrochloride, no adverse effects were seen in mice, rats and dogs receiving, respectively, up to 500 ppm, 1000 ppm and 3000 ppm of propamocarb in their diet. At 10,000 ppm a species-specific oculotoxic effects was seen in dogs.

#### CARCINOGENICITY

**NTP:** No

**IARC:** No

**OSHA:** No

**TERATOGENICITY (BIRTH DEFECTS):** Propamocarb hydrochloride was not teratogenic in rats or rabbits at maternal ly toxic dose levels. The no-effect level (NOEL) in rats and rabbits was 235 mg/kg/day and 164 mg/kg/day, respectively.

**REPRODUCTIVE EFFECTS:** Propamocarb hydrochloride showed no adverse effects on reproductive function or capacity in a three-generation rat reproductions study at a dietary level of 1000 ppm.

**MUTAGENICITY (GENETIC EFFECTS):** Propamocarb hydrochloride was not mutagenic or genotoxic when tested in the Ames gene mutation assay and in six other mutagenesis systems.

**ANTICHOLINESTERASE ACTIVITY:** Propamocarb hydrochloride was not an inhibitor of blood or brain cholinesterase on repeated oral administration to rats or dogs. With rat or dog plasma *in vitro*, it was weakly inhibitory at levels equivalent to 2,200 mg/kg.

### ► SECTION 12-ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL INFORMATION:** Propamocarb hydrochloride, the active ingredient of this product, is of low toxicity to birds, fish and bees. For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

#### OTHER ENVIRONMENTAL INFORMATION

**USE PRECAUTIONS:** DO NOT graze or feed clippings from treated areas to livestock.

### ► SECTION 13-DISPOSAL considerations

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Handling and disposal of pesticide wastes, including spills or rinsates, must be in accordance with federal requirements under the Resource Conservation and Recovery Act (RCRA). Also must ensure that the waste disposal is in compliance with state and local regulations which may be more restrictive or otherwise different from the RCRA requirements.

Do not contaminate water, food or feed by storage or disposal.

**RCRA INFORMATION:** Propamocarb hydrochloride is not a listed hazardous-waste chemical under RCRA.

► **SECTION 14-TRANSPORT INFORMATION**

**PROPER SHIPPING NAME:** None

**DOT SHIPPING LABEL:** None

**FREIGHT CLASSIFICATION:** Agricultural Fungicide, Other Than Dry, N.O.I.

► **SECTION 15 -REGULATORY INFORMATION**

**U.S. FEDERAL REGULATORY INFORMATION**

**TSCA:** Exempted from TSCA; a registered pesticide under FIFRA regulations.

**SARA TITLE III Section 302 (EHS) Ingredients:** Not listed

**SARA TITLE III Section 304 (CERCLA & EHS) Ingredients (RQ):** Not listed

**SARA TITLE III - SECTION 313 SUPPLIER NOTIFICATION:** None of the product ingredients areas SARA313 Listed chemicals.

**U.S. STATE REGULATORY INFORMATION**

**State right-to-know (RTK) hazardous substances:** None

**CANADIAN REGULATORY INFORMATION**

**CANADA WHMIS CONTROLLED-PRODUCT REGULATIONS**  
Banol is a registered pesticide under US FIFRA regulations and is therefore exempted from WHMIS classification. Toxicity indicates that BANOL is not a Controlled Product under WHMIS criteria.

► **SECTION 16-OTHER INFORMATION**

**HMIS HAZARD RATING:**

**HEALTH:** 1 Slight

**FIRE:** 1 Slight

**REACTIVITY:** 0 Negligible

**PPE:** E

**NFPA HAZARD RATING:**

**HEALTH:** 1 Slight

**FIRE:** 1 Slight

**REACTIVITY:** 0 Negligible

**SPECIFIC HAZARD:** None

**MSDS IDENTIFICATION CODE/NUMBER:** 000047

**PREPARED BY:** Dept. of Regulatory Affairs

**PHONE:** (302) 892-3000

**SUPERCEDES MSDS DATED:** 11/08/94

**MSDS REVISION INDICATOR:** Revised Sections 3,4,11 & 16.

**DISCLAIMER OF EXPRESS AND IMPLIED WARRANTIES:** THIS INFORMATION IS PROVIDED IN GOOD FAITH BUT WITHOUT EXPRESS OR IMPLIED WARRANTY.